

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	10	Ajoka-yoshiaki.in.	US-PGPUB; USPAT	OR	ON	2008/02/28 16:07
L2	38	Ajoka-yoshiaki.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:08
L3	27000536	@ad<="20030716"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:09
L4	2102	((396/12) or (396/419) or (396/427) or (396/428) or (348/373)).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/02/28 16:09
L5	2	("5319577").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:10
L6	19	("4739241" "4998284" "5027115" "5146340").PN. OR ("5319577").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/28 16:10
L7	2596009	rotation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:11
L8	550498	rotor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:12
L9	737282	rail	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:12

L10	140811	(guide adj rail)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:12
L11	1446	rotor with sphere	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:12
L12	354	indication adj bar	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:12
L13	180427	slider	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:12
L14	2663448	shaft	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:12
L15	2021588	bearings	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:12
L16	56	rotor with indication with bar	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:13
L17	3	10 and 11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:17
L18	17	10 and 12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:18

L19	17	12 and 18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:18
L20	20776	13 and 14 and 15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:18
L21	16461	20 and 7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:18
L22	1638	21 and 10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:19
L23	1	22 and 12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:19
L24	18340	3-degrees or ("3" adj degrees)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:20
L25	890	24 with freedom	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:20
L26	0	25 and rotort	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:20
L27	53	25 and rotor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:20

L28	12	27 and sphere	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:20
L29	0	27 and (indication adj bar)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:20
L30	354	indication adj bar	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:21
L31	0	28 and 30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:21
L32	1279115	28a nd slider	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:21
L33	1	28 and slider	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:21
L34	0	rotor with (indication adj bar)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:21
L35	11	rotor with (indication adj bar)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:22
L36	1	35 and 11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:22

L37	4104	rotation adj system	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:22
L38	1	37 and sphere and (indication adj bar) and slider and shaft and bearing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:22
L39	34	sphere and (guide adj rail) and rotor and bar	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:23
L40	1	39 and (indication adj bar)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 16:23
L41	1	(rotation and rotor and sphere and indication and bar and slider and shaft and bearing and guide and rail). clm.	US-PGPUB	OR	ON	2008/02/28 16:24
L42	1	(rotation and rotor and sphere and indication and bar and slider and shaft and bearing).clm.	US-PGPUB	OR	ON	2008/02/28 16:24
L43	1	(rotation and rotor and sphere and indication and bar and slider and shaft). clm.	US-PGPUB	OR	ON	2008/02/28 16:24
L44	1	(rotation and rotor and sphere and indication and bar and slider).clm.	US-PGPUB	OR	ON	2008/02/28 16:24
L45	1	(rotation and rotor and sphere and indication and bar).clm.	US-PGPUB	OR	ON	2008/02/28 16:24

2/ 28/ 08 4:24:57 PM

C:\Documents and Settings\rfuller\My Documents\EAST\Workspaces\rodneym9.wsp